

BIGELOIL®

THE PROFESSIONAL'S LINIMENT
EL LINIMENTO DE LOS PROFESIONALES



Can be used before, during and after competition

Can also be used on dogs

Indications: For temporary relief of minor pain and swelling from sprains, strains, bruises, arthritis, overworked muscles and minor wounds.

Directions for Use: Rub onto sore area 2 to 3 times a day. For faster relief, rub with hair and wrap or blanket, especially overnight. **Body Wash:** mix 2 to 4 oz. with 1 gal. water, apply with sponge, avoid eyes.

Brace: mix 2 to 3 oz. with 1 quart water, apply with sponge to warm horse up before workout, avoid eyes and saddle area. **Arthritis:** rub onto knees, hocks and fetlocks before workout, apply again at night and lightly wrap. **Antiseptic:** for minor wounds and skin irritations, apply full strength without rubbing.

Caution: Avoid contact with eyes and mucous membranes. Stop using if skin irritation develops or symptoms persist for more than 10 days. For severe injuries consult a veterinarian. For external use only. Keep out of reach of children.

Warning: Flammable. Keep away from fire, sparks and heated surfaces. Store at room temperature. For animal use only.

Active Ingredients: Menthol 1.25% W/W. **Other Ingredients:** Alcohol, D&C Green #5, FD&C Yellow #5, Fragrance, Juniperberry Oil, Methyl Salicylate, Salicylic Acid, Thymol and Purified Water.

Puede utilizarse antes, durante y después de una competencia

También puede usarse en perros

Indicaciones: Para el alivio temporario de dolores leves e hinchazón provocados por distensiones, esguinces, moretones, artritis, músculos exigidos y heridas leves.

Instrucciones de uso: Frotar el producto en la zona dolorida entre 2 y 3 veces al día. Para un alivio más rápido, frotar siguiendo la dirección del pelo y envolver o cubrir la zona, especialmente durante la noche. **Limpieza corporal:** Mezclar entre 60 mL y 120 mL con 3,8 litros de agua. Aplicar con esponja evitando el contacto con los ojos. **Tónico corporal:** Mezclar entre 60 mL y 90 mL con 1 litro de agua. Aplicar con esponja para precalentar al caballo antes de la ejercitación.

Evitar los ojos y la zona de la montura. **Artritis:** Frotar el producto sobre las rodillas, los jarretes y los espolones antes de la ejercitación. Aplicar nuevamente durante la noche y envolver ligeramente la zona. **Antiséptico:** Para heridas leves e irritaciones de la piel, aplicar puro sin frotar.

Precaución: Evitar el contacto con los ojos y las membranas mucosas. Interrumpir su uso si se irrita la piel o si los síntomas persisten durante más de 10 días. En caso de heridas graves, consultar a un veterinario. Para uso externo solamente. Mantener fuera del alcance de los niños.

Advertencia: Inflamable. Mantener alejado del fuego, de chispas y de superficies calientes. Almacenar a temperatura ambiente. Para uso en animales solamente.

Componentes activos: Mentol 1,25% P/P. **Otros componentes:** alcohol, D&C Verde N° 5, FD&C Amarillo N° 5, fragancia, aceite de bayas de enebro, salicilato de metilo, ácido salicílico, timol y agua purificada.



Distributed by: W. F. Young, Inc.
302 Benton Drive
East Longmeadow,
MA 01028 USA
© W.F.Y.
www.absorbine.com
RM 342365-6





ABSORBINE[®]

-SINCE 1892-

VETERINARY LINIMENT

TOPICAL ANALGESIC & ANTISEPTIC LIQUID



MUSCLE & JOINT PAIN RELIEF

16 fl oz (473 mL)



The Horse World's Most Trusted Name[®]

Absorbine[®] has been trusted for generations to provide herbal healing and fast relief from sore aching muscles, joint and arthritis pain.

DIRECTIONS FOR USE

Legs & Joints: For fast relief of temporary muscular and joint soreness, swelling and stiffness, apply Absorbine Veterinary Liniment (AVL) to sore areas. May be applied two or more times a day.

Arthritis: Deep penetrating heat soothes the pain and swelling of tissues due to arthritis. Rub AVL on stiff and sore joints before and after turnout to increase pain relief.

Muscle Soreness: To relieve pain and stiffness, apply AVL to desired areas and cover with blanket. May be repeated two or more times a day as needed.

Body Wash: AVL cooling body wash refreshes a tired horse. AVL astringents wash away sweat and dirt. AVL's antimicrobial formula disinfects. Herbal oils shine the coat. **Recipe:** mix 4 oz. of AVL and 8 oz. vinegar with 24 oz. of water.

Distributed by: W.F. Young, Inc.
302 Benton Drive, E. Longmeadow, MA 01028 U.S.A.
©W.F.Y.
www.absorbine.com
RM 346480



MADE IN THE USA



Please Recycle



Warm Up: A rub down of AVL increases circulation to muscles and helps prevent injuries. Clinically proven to enhance performance.

Post Work Out: Applying AVL helps speed muscle recovery by increasing blood flow to the affected area, helping to reduce soreness, stiffness, swelling and pain. AVL's fast acting formula is proven to increase blood flow and help your horse heal himself rapidly.

Setting Up: Professional trainers recommend applying AVL after a workout to all four legs and wrapping lightly.

Hoof Disinfectant: AVL's formula penetrates into the porous hoof sole and frog to disinfect. Apply once a week to help prevent bacterial and fungal infections. Use AVL daily to treat hoof conditions such as abscesses, cracks, delamination, Thrush and White Line Disease.

Skin Infections: AVL kills germs on contact and stops the itch in seconds. Use AVL to clean and treat bacterial skin infections like Rain Rot, Scratches, Summer Itch and Tail Itch. Apply to infected area three times a week.

Active Ingredients: Menthol 1.27%, Chloroxylenol 0.50%, Iodine 0.02%. Inactive ingredients: absinthium oil, acetone, blue 1, plant extracts of calendula, echinacea and wormwood; potassium iodide, thymol, water, yellow 6.

Caution: Keep out of the reach of children. Replace cap firmly. For external use on livestock only. Avoid contact with eyes or mucous membranes. Do not apply to irritated skin. If excessive irritation develops, discontinue use and consult a veterinarian. In long standing cases or those not responding to treatment, or in case of puncture or deep wounds, consult a veterinarian. If you rub, don't wrap.

Danger: Extremely flammable! Keep away from fire, sparks and heated surfaces.

MCTARNAHANS®



ORIGINAL BALL SOLUTION®
BALL SOLUCIÓN ORIGINAL

(Reg. U.S. Pat. Office # 990, 670)

A counter-irritant which aids in the relief of muscular soreness and strains due to extreme overexertion.

Un antiirritante para uso como ayuda en el alivio de dolor muscular y tensiones causadas por el sobre esfuerzo.

Net Contents: One Pint (16 fl. oz.) 473 ml
Contenido Neto: 16 Onzas Fluidas (1 Pinta)



PRODUCTS WITH A
WINNING TRADITION



ORIGINAL BALL SOLUTION®

INDICATIONS:

To be used as an aid in the relief of muscular soreness and strains due to overexertion.

DIRECTIONS:

SHAKE WELL BEFORE USING. Clip hair on area to be treated. Apply with a toothbrush straight down over the hair (DO NOT RUB) twice a day for two days, then apply once daily as needed.

ACTIVE INGREDIENTS:

Iodine 6%, Potassium Iodide 5%, Boric Acid, and Sodium Borate (total Borate 1.5%), SDA Alcohol 57% of Volume

INACTIVE INGREDIEN

Deionized Water, Povidone Iodine, Menthol, Thymol, Benzoic Acid, Methyl Salicylate, Oil of Eucalyptus, Oil of Peppermint and Oil of Thyme.

WARNING:

Application for several days in a row under wraps may cause blistering of the skin. If excessive irritation develops, then discontinue treatment and consult a Veterinarian. Not for use in food producing animals or horses intended for food. Not for Human Use.

INDICACIONES:

Use como ayuda en el alivio de dolor muscular y tensiones causadas por el sobre esfuerzo.

INSTRUCCIONES:

Agite bien antes de usar. Sujete el pelo de la zona a aplicar. Aplique con un cepillo de dientes directamente sobre el pelo (no frote) dos veces cada día por dos días. Después, aplique una vez cada día como sea necesario.

INGREDIENTES ACTIVOS:

Iodine 6%, Potassium Iodide 5%, Boric Acid, and Sodium Borate (total Borate 1.5%), SDA Alcohol 57% of Volume

INGREDIENTES INACTIVOS:

Deionized Water, Povidone Iodine, Menthol, Thymol, Benzoic Acid, Methyl Salicylate, Oil of Eucalyptus, Oil of Peppermint and Oil of Thyme.

ADVERTENCIA:

La aplicación por muchos días debajo de las vendajes puede causar ampollas en la piel. Si se desarrolla una irritación excesiva, discontinue el tratamiento y consulte a un veterinario. No lo use en animales que producen alimentos tampoco en caballos destinados a la alimentación.

RESTRICTED DRUG USE ONLY AS DIRECTED
FOR EXTERNAL EQUINE USE ONLY
KEEP OUT OF THE REACH OF CHILDREN

DROGA RESTRINGIDA. UTILICE ÚNICAMENTE SEGÚN LAS
INDICACIONES. PARA USO EXTERNO EQUINO SOLAMENTE.
MANTENGA FUERA DEL ALCANCE DE LOS NIÑOS.

MANUFACTURED IN USA FOR JACKS INC. WASHINGTON C.H. OHIO 43160

