


## Premium Horse Shoe Nails

From ASHVA



'Ashva', the name has its roots in the ancient Sanskrit script, like the technology to forge metal into wonders of the east. The knowledge is extended and applied to cast new forms with superior quality.

Ashva Horseoe Nails are manufactured from the highest quality steel under carefully monitored production facilities. Our uniformly tempered nails preserve optimum elasticity, material strength and specifications, Ashva Horse Shoe Nails are designed to provide swift and accurate drive with high durability.



## Premium Horse Shoe Nails From ASHVA

Basic Horseshoe Nail Design and Components.





### E HEAD

	Model	Length (in mm)
	E 1	49
E 2	42	
E 3	45	
E 4	47.5	
E 5	51	
E 6	54	
E 7	57	
E 8	60.5	
E 9	64	
E 10	68	


### E SLIM

	Model	Length (in mm)
	ESL 2	44.5
ESL 3	47.5	
ESL 4	51	
ESL 5	54	
ESL 6	57.5	
ESL 7	60.5	
ESL 8	68	
ESL 9	68	
ESL 10	72	

### REGULAR HEAD

	Model	Length (in mm)
	REG 4	45
REG 5	50	
REG 6	54	
REG 7	59	
REG 8	64	
REG 9	68	
REG 10	73	
REG 12	81	
REG 16	97	


### JC

	Model	Length (in mm)
	JC 00	41
JC 0	45	
JC 1	49	
JC 2	53	
JC 3	57	
JC 4	61	
JC 5	65	
JC 6	69	
JC 7	73	


### JN

	Model	Length (in mm)
	JN 3	42.5
JN 4	45.5	
JN 5	48.5	
JN 6	52	
JN 7	55	
JN 8	55	
JN 9	61	
JN 10	64	

### RACE NAIL

	Model	Length (in mm)
	RN 3	35
RN 3.5	38	
RN 4	41	
RN 4.5	44.5	
RN 5	47.5	
RN 6	51	

### ASV

	Model	Length
		(in mm)
	ASV 1.5/8	41
	ASV 1.3/4	44.5
	ASV 1.3/4	45
	ASV 1.7/8	47.5
	ASV 2	51

### ASM

	Model	Length
		(in mm)
	ASM 4	45
	ASM 4.5	47.5
	ASM 5	50

### T HEAD

	Model	Length
		(in mm)
	T 2	38
	T 3	41
	T 4	44

### CITY HEAD

	Model	Length
		(in mm)
	CITY 4	45
	CITY 4.5	47.5
	CITY 5	50
	CITY 6	54

### CITY HEAD SLIM

	Model	Length
		(in mm)
	CITY 5 SL	50



[www.gardex.in/ashva](http://www.gardex.in/ashva)





D-63, South City-1, Gurgaon 122 002  
Haryana, India

**Tel** + 91 124 4269922/23

**Fax** +91 124 426 9921

**Email** [info@gardex.in](mailto:info@gardex.in)

**www.gardex.in/ashva**